

USHST All Hands Webinar

January 20, 2021

Personal Minimums/Limits

David Dziura and Chris Young



USHST
United States
Helicopter Safety Team



USHST
United States
Helicopter Safety Team



Risk Management for Personal and Private Operations

- Reducing negative outcomes is equally important for you.
 - Understand the hazards and their risks
 - Helping to make better decisions
- It all starts with a personal commitment to prioritizing safety
 - You must be honest with yourself
 - Hold yourself accountable
- Next, implement some process to keep safety at the forefront of each flight
 - Here, we will focus on two simple and important strategies
 - Mitigating Risk
 - Personal Minimums



USHST
United States
Helicopter Safety Team

Personal / Private Ops Risk Management

Risk Management

A pre-flight risk assessment is a crucial part of safe flight operations

- Write it down or have a discussion with a peer
 - Organization of ideas is important. Risks “stack up” – just looking at one at a time does not give a complete picture
- Or Use an online tool or app

PAVE Checklist

Pilot:

- “Am I ready for this trip?” in terms of experience, recency, currency, physical, and emotional condition.
- IMSAFE: Physical and mental well being



- 1. Illness**—Am I sick? Illness is an obvious pilot risk.
- 2. Medication**—Am I taking any medicines that might affect my judgment or make me drowsy?
- 3. Stress**—Am I under psychological pressure from the job? Do I have money, health, or family problems?
- 4. Alcohol**—Have I been drinking within 8 hours? Within 24 hours?
- 5. Fatigue**—Am I tired and not adequately rested?
- 6. Emotion**—Am I emotionally upset?

Use the
IMSAFE
checklist to
ensure you
are *fit to fly*





USHST
United States
Helicopter Safety Team

Personal / Private Ops Risk Management

Risk Management: PAVE Checklist

Aircraft

- Performance Margins
- Equipment or lack there-of
- Fuel Reserves
- Recently returned from Maintenance

enVironment

- Weather
- Terrain, congested surfaces, remoteness
- Wires and obstacles, bird activity
- Airspace, busy air traffic, high workload ATC

External Pressures

- Time limits / pressures.
- Mission mentality, Get-home-itis
- Incoming night or weather
- Financial or social pressures, previous cancelations or postponements



USHST
United States
Helicopter Safety Team

Personal / Private Ops Risk Management

Risk Management: TEAM Process

- How much risk should I accept? ALARP = As Low As Reasonably Practicable
 - The assumption is all actions to mitigate risk will be taken, unless the action poses a non-feasible/unreasonable burden
- Apply mitigation to identified Risks: TEAM
 - Transfer
 - “outsource” the risk to another party/pilot/provider – not often preferable in Personal/Private, but still effective
 - Eliminate
 - Reroute, cancel, delay/postpone, take a different aircraft: actions that eliminate an identified risk
 - Accept (with limits)
 - Identified Risk is acceptable now – but what if it changes? Must set personal limits for the flight
 - Mitigate
 - Selected routes and altitudes, training, rest time, additional crew or resources, additional planning, backup plans




USHST
United States
Helicopter Safety Team

Personal Minimums

- Risks may be deemed “acceptable” - but until when?
- Pressures and task loading affect the quality of our decisions.
- Is it possible to make decisions when pressures/high workload are not present?

YES : Personal Minimums

- Common Questions we hope to answer today:
 - What if I feel that on a given flight that I can accept more or less risks than others?
 - Is it ever ok to break/compromise my personal minimums?





USHST
United States
Helicopter Safety Team

Personal Minimums Guidelines

- Setting your minimums / limits
 - 1st - consider all limitations placed on you by other entities
 - FAA, Insurance, Manufacturer, company limits, etc. These are good starting points.
 - Personal Minimums should not conflict with any of these
 - Sit down on a non-flying day/time to think without distraction or pressures
 - For setting limits, consider a flight when all other factors are ideal, and only the one factor is present – what limit is acceptable?
 - Example: calm winds, familiar location, recent experience, unlimited visibility: what cloud layer/ceiling would you accept?
 - Write down the worst condition you deem reasonable to accept, but in which you can guarantee a safe outcome based on your experience
 - You can never compromise the limit under any circumstances



USHST
United States
Helicopter Safety Team

Setting your Personal Minimums

- Visibility
 - Cloud layer height
 - Winds/ gusts
 - Other options:
 - pilot recency
 - fuel reserves
 - performance margin (HIGE/HOGE)
 - hours of sleep
 - Duty/flight hours
 - cruise altitudes AGL
 - anything you feel could create a risk when exceeded
 - Different limits may need to be set for
 - Make/Model
 - Day vs Night
 - VFR vs IFR operations
 - other profiles
- Be creative: what pressures will you face?
- Predetermined limits can reduce the influence of pressures or passengers



USHST
United States
Helicopter Safety Team

Personal Minimums

- Be familiar with the limits you wrote down.
 - You will need them under duress.
 - Make sure they are available to reference when under pressure.
- Use resolve to never compromise these limits
 - under any conditions
 - no matter how favorable other factors or flight
 - No matter how much pressure is encountered

GREAT!

But those will not be good enough to keep you safe on any given flight.

Now we must adjust them prior to lift-off, each flight.



USHST
United States
Helicopter Safety Team

Personal Minimums

- Multiple Risks “stack up” and multiply your exposure
 - Rarely is there only one risk present on a flight
 - Limits must be adjusted “down” to account for the cumulative effect
- What limits can you accept ON THIS FLIGHT, and still guarantee a safe outcome?
- Adjust minimums only “Down” – more conservative
- Many limits may stay as previously defined
- Example: high pilot fatigue, high DA, small performance margin = less windy/gusty conditions can be accepted – adjust down



USHST
United States
Helicopter Safety Team

Scenarios

- How might you adjust Personal Minimums for the following?
 - Long flight to unfamiliar off-airport landing area with loved ones on board
 - Flight in mountainous terrain to high DA location, with few alternate airports





USHST
United States
Helicopter Safety Team

Personal Minimums Guidelines

- Establish what you will do if you encounter your limits before or during the operation.
 - Divert / Return to Base
 - Land and Live (Precautionary Landing)
 - Transfer to other more capable aircraft or pilot
 - No-go / Delay for better conditions
- Share your limits and plans with your passengers before flight
- Mutual expectations and understanding reduces pressure in flight



USHST
United States
Helicopter Safety Team

Personal Minimums: Updating

- Re-evaluate personal minimums (never for a specific flight) –
 - were there any close calls or dangerous events?
 - Make more restrictive as necessary (any time)
 - Has your experience allowed you to safely increase them?
 - Consistently safe/low risk operations at your defined limits
 - Training with an instructor
 - Only do this on the ground, on a day not flying: use caution and talk with peers

QUESTIONS?

David Dziura
david.dziura@gmail.com

Chris Young
chris@cyconsultingsolutions.com



USHST
United States
Helicopter Safety Team

EXTERNAL PRESSURES

Trip Planning

Allowance for delays _____ minutes

Alternate Plans for Diversion or Cancellation

Notification of person(s) you are meeting

Passengers briefed on diversion or cancellation plans and alternatives

Modification or cancellation of car rental, restaurant, or hotel reservations

Arrangement of alternative transportation (airline, car, etc.)

Personal Equipment

Credit card and telephone numbers available for alternate plans

Appropriate clothing or personal needs (eye wear, medication...) in the event of unexpected stay

▶ _____



Importance of Trip

The more important the trip, the more tendency there is to compromise your personal minimums, and the more important it becomes to have alternate plans.

Your Personal Minimums Checklist—

- An easy-to-use, personal tool, tailored to your level of skill, knowledge, and ability
- Helps you control and manage risk by identifying even subtle risk factors
- Lets you fly with less stress and less risk

Practice “Conservatism Without Guilt”

Each item provides you with either a space to complete a personal minimum or a checklist item to think about. Spend some quiet time completing each blank and consider other items that apply to your personal minimums. Give yourself permission to choose higher minimums than those specified in the regulations, aircraft flight manuals, or other rules.

How to Use Your Checklist

Use this checklist just as you would use one for your aircraft. Carry the checklist in your flight kit. Use it at home as you start planning a flight and again just before you make your final decision to fly.

Be wary if you have an item that’s marginal in any single risk factor category. But if you have items in more than one category, you may be headed for trouble.

If you have marginal items in two or more risk factors/categories, don’t go!

Periodically review and revise your checklist as your personal circumstances change, such as your proficiency, recency, or training. You should never make your minimums less restrictive unless a significant positive event has occurred. However, it is okay to make your minimums more restrictive at any time. And never make your minimums less restrictive when you are planning a specific flight, or else external pressures will influence you.

Have a fun and safe flight!

Developed in cooperation with:



King Schools, Inc.
 3840 Calle Fortunada
 San Diego, CA 92123
 1-800-854-1001

FOR SMART, SAFE, FUN FLYING™

PERSONAL MINIMUMS CHECKLIST

Think...

PILOT
AIRCRAFT
ENVIRONMENT
EXTERNAL PRESSURES

Pilot: _____

Date Revised: _____

Reviewed with: _____
 (if applicable)

PILOT

Experience/Recency

Takeoffs/landings..... _____ in the last
_____ days

Hours in make/model _____ in the last
_____ days

Instrument approaches _____ in the last
(simulated or actual) _____ days

Instrument flight hours _____ in the last
(simulated or actual) _____ days

Terrain and airspacefamiliar

Physical Condition

Sleep _____ in the last
24 hours

Food and water in the last
_____ hours

AlcoholNone in the last
_____ hours

Drugs or medication.....None in the last
_____ hours

Stressful eventsNone in the last
_____ days

IllnessesNone in the last
_____ days

▶ _____

AIRCRAFT

Fuel Reserves (Cross-Country)

VFR Day _____ hours
Night..... _____ hours

IFR Day _____ hours
Night..... _____ hours

Experience in Type

Takeoffs/landings..... _____ in the last
in aircraft type _____ days

Aircraft Performance

Establish that you have additional performance available over that required. Consider the following:

- Gross weight
- Load distribution
- Density altitude
- Performance charts

Aircraft Equipment

Avionics..... familiar with equipment
(including autopilot and GPS systems)

COM/NAV..... equipment appropriate
to flight

Charts current

Clothing..... suitable for preflight and
flight

Survival gear appropriate for flight/terrain

▶ _____

ENVIRONMENT

Airport Conditions

Crosswind _____ % of max POH
Runway length..... _____ % more than POH

Weather

Reports and forecastsnot more than
_____ hours old

Icing conditionswithin aircraft/pilot
capabilities

Weather for VFR

Ceiling Day..... _____ feet
Night _____ feet

Visibility Day..... _____ miles
Night _____ miles

Weather for IFR

Precision Approaches

Ceiling _____ feet above min.
Visibility _____ mile(s) above min.

Non-Precision Approaches

Ceiling _____ feet above min.
Visibility _____ mile(s) above min.

Missed Approaches

No more than _____ before diverting

Takeoff Minimums

Ceiling _____ feet
Visibility _____ mile(s)

▶ _____

